

GARANINA, I.P., starshiy nauchnyy sotrudnik; NEFEDOV, V.P., student

Ascorbic acid content of the cortical substance of adrenal glands
in anaphylaxis. Uch. zap. KVI 89:161-167 '62.

(MIRA 18:8)

1. Laboratoriya eksperimental'noy fiziologii i patologii (zav. -
prof. N.A.Krylova) Kazanskogo veterinarnogo instituta i Kafedra
patofiziologii (zav. - prof. M.A.Yerzin) Kazanskogo meditsinskogo
instituta.

GARANINA, I.P.

Reflex excitability and functional mobility of the respiration
center in animals during the initial period of their postnatal
life. Nerv. sist. no.4:92-95 '63 (MIRA 18:1)

1. Kazanskiy veterinarnyy institut.

BARYSHEVA, A.A., red.; ORFANOV, I.K., red.; PROKHOROV, S.I.;
red.; TRUBE, L.L., red.; GARALINA, L.F., red.

[The Volga-Vyatka Region; economic and geographical
survey] Volgo-Viatskii raion; ekonomiko-geograficheskii
obzor. Gor'kii, Volgo-Viatskoe knizhnoe izd-vo, 1964.
285 p. (MIRA 18:3)

BELYAYEV, Igor' Ippolitovich, doktor med.nauk; GARANINA, L.F., red.;
ZAKHAROV, K.A., tekhn.red.

[Personal hygiene] Lichnaya gigiena. Gor'kovskoe knizhnoe izd-vo,
1955. 49 p. (MIRA 12:3)

(HYGIENE)

GARANINA, L.F.

PUZANOV, Ivan Ivanovich; KOZLOV, Vladimir Ivanovich; KIPARISOV, Gleb
Petrovich. [deceased]; GARANINA, L.F., redaktor; ZAKHAROV, K.A.,
tekhnicheskii redaktor

[Animals of Gorkiy Province; vertebrates] Zhivotnyi mir Gor'kovskoi
oblasti; pozvonochnye. Izd. 2-oe, dop. [Gor'kii] Gor'kovskoe kn-vo
1955. 585 p. (MIRA 9:10)
(Gorkiy Province--Vertebrates)

GARANINA, L.F.

ONISHCHENKO, Mikhail Nesterovich, kand.pedagog.nauk; YASHANIN, I.G.,
zasluzhennyy uchitel' shkoly RSFSR, red.; GARANINA, L.F.,
red.; BRULIKOVSKAYA, R.G., tekhn.red.

[Equivalence of equations, their solution and analysis]
Ekvivalentnost' uravnenii, ikh reshenie i issledovanie. Pod
red. I.G. Iashanina. Gor'kii, Gor'kovskoe knizhnoe izd-vo,
1959. 121 p. (MIRA 13:2)
(Equations)

VORGALIK, Vadim Gabrielyevich, prof.; GARANINA, L.F., red.; MUNISOVA,
M.I., tekhn. red.

[Principles of the Chinese therapeutic method of acupuncture]
Osnovy kitaiskogo lechebnogo metoda chzhen'-tsziu. Gor'kii,
Gor'kovskoe knizhnoe izd-vo, 1961. 318 p. (MIRA 15:7)

1. Gor'kovskiy meditsinskiy institut im. S.M.Kirova (for
Vorgalik).

(ACUPUNCTURE)

GEFTER, Aleksandr Isayevich, prof.; GARANINA, L.F., red.; ZAKHAROV,
K.A., tekhn. red.

[Clinical lectures on internal diseases] Klinicheskie lektsii
po vnutrennim bolezniyam. Gor'kii, Gor'kovskoe knizhnoe izd-vo.
Pt.2. 1962. 362 p. (MEDICINE, INTERNAL) (MIRA 16:5)

KOKOSH, Valentin Ivanovich, prof.; KOROLEV, B.A., prof., zasl. deyatel'
nauki, nauchn. red.; GARANINA, L.F., red.

[Pneumectomy in chronic suppurative diseases of the lungs]
Pnevmonektomiia pri khronicheskikh nagnoitel'nykh zaboлева-
niyakh legkikh. Gor'kiy, Volgo-Viatskoe knizhnoe izd-vo,
1964. 482 p. (FIR 17:8)

1. Chlen-korrespondent AN SSSR (for Korolev).

VOGRALIK, Vadim Gabrielelevich, prof.; GARANINA, L.F., red.; YUNISOVA,
M.I., tekhn. red.

[Clinical lectures on internal diseases; selected chapters
from a course on clinical hospital therapy] Klinicheskie
lektsii po vnutrennim bolezniam; izbrannye glavy kursa gos-
pital'noi terapevticheskoi kliniki. [Gor'kii] Volgo-
Viatskoe knizhnoe izd-vo, 1964. 742 p. (MIRA 17:3)

*

USSR/Cultivated Plants - Fodders.

M

Abs Jour : Ref Zhur Biol., No 18, 1958, 82397

Author : Garamina, L. S.

I st : -

Title : Vetchling Plantings for Green Manuring Under the Cotton Plants and for Cattle Fodder.

Orig Pub : Khlopkovodstvo, 1957, No 10, 26-29

Abstract : On the basis of the tests of the scientific research institutions during 1954-1956 and of the results of previous investigation, the following varieties of annual vetchling are recommended: the sowing Lathyrus sativus L., Tangiers (L. tingitanus L.), red (L. ciceria) and yellow (Z ochrus D.C.). After-harvest sowings in pure form and in mixture are used for fodder.

Card 1/1

GARANINA, L.S., agronom.

Vetchling. Nauka i pered. op. v sel'khoz. 7 no.10:37-39 0 '57.
(Vetchling) (MLRA 10:11)

GARANINA, L. S., Cand Agr Sci -- (diss) ^{the} "Evaluation of collection
of ~~the~~ vetchling^{starting} as ~~original~~ material for selection." Len, 1958.
20 pp (All-Union Order of Lenin Acad Agr Sci im V. I. Lenin, All-
Union Sci Res Inst of Plant Cultivation), 100 copies (KL, 15-58,
117)

-59-

GARANINA, M.F.

The effect of the nature of active groups on the exchange properties of adsorbents. V. N. Lenkaya and M. F. Garanina (N. G. Chernyshevskii State Univ., Saratov, Sovetskaya Lab. 21, 1428-9 (1955)). Three new cation-adsorbent resins were tested. They were prepd. by the addn. of 20-30% oxalic or citric acid or of quercetin to p-phenol-sulfonic acid. The exchange properties of the resins so prepd. were materially changed. The 3 acids, which form complex ions with Fe and Al, greatly increased the adsorption of these ions. These addns. to the resins either greatly increase the no. of activity centers, or reduce the no. of active sulfo groups in the resins. The hope is expressed that the selection of suitable addns. can regulate the selectivity in the exchange reactions of resins. W.M.S.

M.A. YOUTZ

2 copies

RM

AFANAS'YEV, A.P.; ANUCHIN, V.G.; VINOGRADOV, K.V.; GARANINA, M.M.;
GILEROVICH, M.M.; DUBROVSKIY, Ye.P.; YEVSTIGNEYEV, A.A.; IOKHVIN,
M.R.; KALMYKOV, P.M.; KRENGEL', I.TS.; LOSEV, I.G.; MAYEVSKIY,
F.M.; MAZEL', S.I.; MIZHERITSKIY, G.S.; NOVIKOV, M.I.; NAZAR'YEV,
O.V.; PCHELKINA, I.A.; RAZUMOV, V.S.; ROZENBLYUM, I.M.; SEROV, B.P.;
SKRYPNIK, T.I.; SAL'VIN, Ye.S.; SMOTRINA, V.F.; TELEPNEVA, N.S.;
FIL'CHAKOV, N.I.; KHRAPUNOVA, Ye.L.; UNDEVICH, G.S.; UR'T'YEV, P.P.;
SHILOV, A.A.; SHLYKOV, A.P.; KIRILLOV, L.M., red.; MARKOCH, M.G.,
tekhn.red.

[Regulations on the construction of municipal telephone network lines]
Pravila po stroitel'stvu lineinykh sooruzhenii gorodskikh telefonnykh
setei. 2.izd. Moskva, Svyaz'izdat, 1962. 511 p. (MIRA 15:5)

1. Russia (1923- U.S.S.R.) Ministerstvo svyazi. Glavnoye upravleniye
kapital'nogo stroitel'stva.
(Telephone lines)

GABRININA, N.S.

KLYACHKO-GURVICH, Lippa L'vovich; GERASIMOV, Ya.I., professor,
redaktor; GABRININA, N.S., redaktor; MIKHAYLOVA, T.A.,
tekhnicheskiy redaktor.

[Cryoscopy; laboratory work in physical chemistry] Krioskopiia;
prakticheskie raboty po fizicheskoy khimii. Pod red. IA.I.
Gerasimova. [Moskva] Izd-vo Moskovskogo univ., 1955. 21 p.
(MLRA 8:12)

1. Chlen-korrespondent AN SSSR (for Gerasimov).
(Cryoscopy)

GARANINA, N.S.

SEROGYEV, Yevgeniy Mikhaylovich; GABANINA, N.S., redaktor; TEREKHOVA, D.P.,
tekhnicheskiiy redaktor

Mikhail Mikhailovich Filatov. [Moskva] Izd-vo Moskovskogo univ.,
1956. 51 p. (MLRA-10:1)
(Filatov, Mikhail Mikhailovich, 1877-1942)

SERGEYEV, Yevgeniy Mikhaylovich; GARANINA, N.S., red.; GEORGIYEVA,
G.I., tekhn.red.

[Soil science] Gruntovedenie. Izd.2., perer. Moskva,
Izd-vo Mosk.univ., 1959. 333 p. (MIRA 12:8)
(Soil research)

GARANINA, G.P.; YERLYKOVA, A.Ya.; GUSEV, N.K.

Antibiograms of dysenteric bacilli based on data of the Krasnoyar
Territorial Sanitary Epidemiological Station. Antibiotiki 10
no.5:465-466 My '65. (MIRA 18:6)

1. Krasnoyarskiy meditsinskiy institut.

2444/VA 37
GURVICH, B.I., professor; BLINTSOVSKAYA, R.A.; Gubanina, S.A.; K. OBIKHIL...

Clinical aspects, early diagnosis and treatment of murine typhus
salmonellosis in small children. Pediatrics no.4:30-34 Apr 57.

(MIL. 10:10)

1. Iz kafedry gospiatel'noy pediatrii Gor'kovskogo meditsinskogo
instituta (zav. - prof. B.I.Gurvich) i Gorodskoy detskoj klinicheskoy
bol'nitsy (glavnyy vrach Ye.G.Krupko)
(SALMONELLA)

GARANINA, S. A., KOLOBIKHINA, S. A., GUREVICH, B. I., BLINTSOVASKAYA, R. A.

"Clinic, early diagnosis, and treatment of salmonellosis
(typhus) in young children."

report submitted at the 13th All-Union Congress of Hygienists, Epidemiologists
and Infectionists, 1959.

GARANINA, V. [Garanina, V.]; LADYGINA, O. [Ladygina, O.]; OSTREYKO, L.
[Astreika, L.]; MARCHENKO, T. [Marchenko, T.]; PERETYAGINA, L.
[Peretsiagina L.]; SHIROKOVA, N. [Shyrakova, N.], inzh.

We are proud of our beautiful city. Rab. i sial. 35 no.6:12-13
Je '59. (MIRA 12:8)

1. Zakroyshchitsa atel'ye No.1 Melpromsoвета (for Marchenko).
2. Zaveduyushchaya aparatno pryadil'nyy proizvodstom, g. Minsk (for Shirokova).

(Minsk--Description) (Minsk--Economic conditions)

GARANIQA, V. I.

VANYARKHO, L. G.; GARANIQA, V. A.

Chromatographic Analysis

Preparation and use of chromatographic paper in chemical analysis. Apt. delo.,
No. 3, 1952

Monthly List of Russian Accessions, Library of Congress, November 1952
UNCLASSIFIED.

ALEKSANDROVICH, K.D., mladshiy nauchnyy sotrudnik; LYSOVA, Z.A., starshiy nauchnyy sotrudnik; Prinsipali uchastiye: FRIDMAN, B.N., starshiy nauchnyy sotrudnik; GARAMINA, V.P., mladshiy nauchnyy sotrudnik; LYSYANSKIY, Ye.B., mladshiy nauchnyy sotrudnik

Studying the setting of card clothing and the mounting of high-speed drawing machines. Nauch.-issl.trudy TSNIILV 15:3-23 '61.
(MIRA 18:4)

LYSOVA, Z.A.; ALEKSANDROVICH, K.D., mladshiy nauchnyy sotrudnik; Prinsipal
uchastiye: FRIDMAN, B.N., starshiy nauchnyy sotrudnik; GARANINA,
V.P., mladshiy nauchnyy sotrudnik; LYSYANSKIY, Ye.B.

Comparing the technological efficiency of high-speed draw frames
with 6 mm and 9 mm diameter combs. Nauch.-issl. trudy TSNILV
16:118-126 '62. (MIRA 16:10)

1. Rukovoditel' eksperimental'noy laboratorii TSentralnogo
nauchno-issledovatel'skogo instituta promyshlennosti lubyanykh
volokon.

23(5)

SOV/77-4-2-6/18

AUTHORS: Zimkin, Ye.A., Garanina, Ye.Ye.

TITLE: The Photographically Active Components of Gelatin (Fotograficheski aktivnyye komponenty zhelatina)

PERIODICAL: Zhurnal nauchnoy i prikladnoy fotografii i kinematografii, 1959, Vol 4, Nr 2, pp 116-120 (USSR)

ABSTRACT: The authors state that photographic gelatin usually contains a certain amount of mineral constituents (1-2% of the dry product). This is shown in Table 1 which gives an analysis of a mixed sample of batches of gelatin resin from the Kazan' plant. Although almost nothing is known of the photographic influence of gelatin mineral constituents, there is an indication [Ref. 1] that an excess of potassium and sodium ions in the water used to produce photographic emulsions, may cause fogging. The authors then describe experiments made to investigate the photographically active

Card 1/4

SOV/77-4-2-6/18

The Photographically Active Components of Gelatin

components of gelatin. The gelatin samples were tested by the photographic method, accepted as standard for photographic gelatin [Ref. 2]. The same gelatin was used in the first maturing, the experimental samples being introduced in the second maturing. The experiments were carried out by two methods: 1) by combining the calcium ions in the gelatin itself into a slightly dissociated combination and substituting them with sodium ions; this was done by introducing NaF, Na_3PO_4 and other salts into the gelatin; 2) using gelatin purified of its mineral constituents and introducing combinations with a certain cation into it. Ordinary photographic gelatins were used, part of them purified of mineral constituents by washing in a diluted solution of acetic acid [Ref. 3] or by desalting them by ion-exchangers. In the latter case, on the recommendation of Professor V.A. Klyachko, the gelatin solutions

Card 2/4

SOV/77-4-2-6/13

The Photographically Active Components of Gelatin

were filtered through columns with ion-exchanging resins; wolfrite (vofatit) P was used as a cationite and ON and ED-10 as an anionite. The amount of resin in the purified gelatin did not exceed 0.1% of the dry products, the calcium ions in the resin were kept as sediment. The chemical maturing of the emulsion was accelerated by the use of thiosulphates Mg, Ca and Ba, prepared by the authors and their colleagues, introduced in the amount of $2,5 \cdot 10^{-7}$ M per gram of gelatin. Experiments showed that the speed of the chemical maturing of a photographic emulsion, depends, all other conditions being equal, on the valence of the cations of the mineral constituents of the gelatin. In the presence of two-valence cations the period of maturing up to maximum light-sensitivity is longer than in the case of one-valence cations. It is also assumed that during the second maturing of the emulsion, the cations interact

Card 3/4

SOV/77-4-2-6/18

The Photographically Active Components of Gelatin

with the intermediate combinations of ions of silver and accelerators of the maturing. There are 3 tables, 3 graphs and 8 references, 7 of which are Soviet and 1 English-language.

ASSOCIATION: Kazanskiy fotozhelatinovyy zavod (The Kazan' Photographic Gelatin Plant)

SUBMITTED: June 17, 1957

Card 4/4

ZINKIN, Ye.A.; ALYKHANOV, V.F.; DEYALOV, Yu.B.; P'ROKHOROV, I.B.;
GABANINA, Ye.Ye.

Effect of the methods of gel-tin preparation on its photographic
activity. Zhur. nauch. i prikl. fot. i kin. 10 no.4:247-250
Jl-Ag '65. (MIRA 18:7)

1. Kazanskiy filial Vsesoyuznogo nauchno-issledovatel'skogo kino-
fotoinstituta i Kazanskiy fotozhelatulinovyy zavod.

GARAN'KIN, Yu.

Planned increase in the equipment of schools. Prof.-tekh. obr.
21 no.10:25 0 '64. (MIRA 17:11)

1. Zamestitel' nachal'nika Orenburgskogo oblastnogo upravleniya
professional'no-tekhnicheskogo obrazovaniya.

SOKOLOVA, Ye.I. [deceased]; BRAYNZAROVA, G.T.; BOCHANOVA, N.S.;
ZHIKHAREVA, V.I.; ZAKUMBAYEV, A.K.; ISAYEVA, M.G.;
IMAMBAYEVA, U.A.; KRIVOSHEYEV, Yu.O.; KUDAYEERGEOV,
Zh.D.; RAKHMETCHIN, S.; TYUTYUKOV, F.M.; SHIM, P.S.;
LAZARENKO, Ye.I.; GARANKINA, A.I.; D'YACHENKO, R.;
PETUKHOV, R.M., ~~kand. tekhn. nauk~~, nauchn. red.;
SHUPLOVA, M.A., red.; LEVIN, M.L., red.; ROROKINA, Z.P.,
tekhn. red.

[Food industry of Kazakhstan] Pishchevaia promyshlennost'
Kazakhstana. Alma-Ata, Izd-vo AN KazSSR, 1963. 172 p.

1. Akademiya nauk Kazakhskoy SSR, Alma-Ata. Institut eko-
nomiki.

(Kazakhstan--Food industry)

GLUSHKOV, G.S.; YEGOROV, I.R.; YERMOLOV, V.V.; GARANKINA, S.P., red.;
DEMKINA, N.F., tekhn. red.

[Formulas for the design of continuous beams and frames] Formuly dlia rascheta nerazreznykh balok i ram; spravochnoe posobie. Izd.2., dop. i perer. Moskva, Mashgiz, 1963. 463 p.
(MIRA 17:4)

ERLIKH, V.; GARANTOVA, Z.; pri uchastii D.Prizhikrylovoy, D.Prokhazkovoy i
M.Ishovoy

Studying body reactivity in hypertension and prolonged sleep therapy.
Zhur.vys.nerv.deiat. 7 no.4:547-553 J1-Ag '57. (MIRA 10:12)

1. Institut bolezney krovoobrashcheniya, Praga, Chexoslovakiya.
(HYPERTENSION, physiology,
neural reactivity & sleep ther. (Rus))
(SLEEP, therapeutic use,
hypertension (Rus))

EXMPPTA MEDICA Sec 6 Vol 13/7 Internal Led. July 50

4061. COMPARATIVE EVALUATION OF THE DETOXICATING FUNCTION OF
THE LIVER IN TRICHODESMOTOXICOSIS (Russian text) - Garanyan
A. N. - ZDRAVOOKHR. UZ. 1956, 6 (39-41)

Investigations were carried out on patients (in two regions) suffering from various forms of trichodesmotoxicosis (anaemic, renal-anaemic, renal-anaemic-encephalitic, encephalitic) using a complex of functional tests: Quick's sodium benzoate test, with santonin and the Takata-Ara reaction with mercuric chloride-fuchsin. In the overwhelming majority of the patients a marked impairment of the detoxicating function of the liver was noted; the different extent of impairment in patients from different regions depends, in the author's opinion, on the possibility of intoxication not only by trichodesma alkaloid but also by other weeds, as well as on greater or lesser concentrations of alkaloid.

(S)

GARANYAN, A.N.

USSR/Human and Animal Physiology - Liver.

R-7

Abs Jour : Referat Zhur - Biol., No 16, 1957, 70877

Author : Garanyan, A.N.

Inst :

Title : Liver Function in Intestinal Pathology.

Orig Pub : Sb. Nauch. tr. Samarkandsk. med. in-t, 1956, 11, 233-237

Abstract : No abstract.

Card 1/1

- 36 -

GARANYAN, A.N., kand.med.nauk

Antitoxic function of the liver in some diseases of the viscera.
Vrach.delo supplement '57:41 (MIRA 11:3)

1. Gosptal'naya terapevticheskaya klinika (zav.-zasl. deyatel'
nauki, prof. V.Yu.Ioffe) Samarkandskogo meditsinskogo instituta.
(LIVER) (VISCERA--DISEASES)

IOFFE, V.Yu., prof.; GARANYAN, A.N., ~~land~~ med. nauk

Therapeutic value of the new preparation nitranol. Med. zhur. Uzb.
no.6:40-42 Je '60. (MIRA 15:2)

1. Iz kafedry gosital'noy terapii Samarkandskogo gosudarstvennogo
meditsinskogo instituta imeni I.P.Pavlova.
(NITRANOL)

GARANYAN, A.H., kand.med.nauk

Capillary circulation in some diseases of the internal organs.
Vrach. delo no.6:145 Je '61. (MIRA 15:1)

1. Klinika gospital'noy terapii (zaveduyushchiy - dotsent A.D.
Dzhalalov) Samarkandskogo meditsinskogo instituta.
(BLOOD__CIRCULATION, DISORDERS OF)

DZHALALOV, A.D., doktor meditsinskikh nauk; GARANYAN, A.N., kand.med.nauk

State of the cardiovascular system in patients with chronic gastritis
and peptic ulcer. Med. zhur. Uzb. no.8:89-92 Ag '61. (MIRA 15:1)

1. Iz gosital'noy terapevticheskoy kliniki (zav. - A.D.Dzhalalov)
Samarkandskogo meditsinskogo instituta.
(CARDIOVASCULAR SYSTEM) (STOMACH INFLAMMATION)
(PEPTIC ULCER)

LOFFE, V.Yu.; GARANYAN, A.N.

Therapeutic value of nitranol. Khim. i med. no.16:25-29 '61.
(MIRA 17:8)

GARANYAN, A.N., kand. med. nauk

Dynamics of clinical data and cardiovascular indices in patients
with hypertension treated with rauwolfia preparations. Nauch.
trudy SamMI 23:56-60 '63 (MIRA 17:3)

1. Iz kliniki gospiatal'noy terapii Samarkandskogo meditsin-
skogo instituta.

VEKHOV, V.A.; GARANZHA, L.P.; NEKRASOVA, Z.D.; KULISH, N.F.

Some regularities of the changes in the solubility of chlorolignin
in alkalies. *Gidroliz. i lesokhim.prom.* 17 no.2:16-17 '64.

(MIRA 17:4)

1. Dnepropetrovskiy metallurgicheskiy institut.

EPSTEYN, Ye.F.; FILIPPOVA, Ye.S.; VEKHOV, V.A.; GARANZHA, L.P., aspirant

Chlorolignin, a new reagent for treatment of clay solutions.

Izv. vys. ucheb. zav.; geol. i razv. 6 no.5:156-159 My '65.
(MIRA 18:10)

1. Dnepropetrovskiy gornyy Institut.

KOBIELOWA, Zofia; ZMUDZKA, Izabella; GARAPICH, Marek; SZCZUDRAWA, Jerzy

Difficulties in the classification and diagnosis of Hand-Schüller-Christian disease. Pol. tyg. lek. 20 no.22:805-808 31 My '65.

1. Z I Kliniki Dziecięcej (Kierownik: prof. dr. T. Giza) i z Zakładu Anatomii Patologicznej AM w Krakowie (Kierownik: prof. dr. J. Kowalczykowa).

HORNIK, Norbert; OSTROWSKI, Antoni; GARAPICH, Marek

Pattern of serum protein fractions in patients with rickets treated with massive doses of vitamin D-3. Pol. tyg. lek. 20 no.33:1227-1230 16 Ag '65.

1. Z I Kliniki Dziecięcej AM w Krakowie (Kierownik: prof. dr. Tadeusz Giza).

L 3927-66 EWT(m)/EPF(c)/EPF(n)-2
ACCESSION NR: AT5022320

UR/3157/64/000/114/0003/0012
589.1.03.089.6

43
B+1

AUTHOR: Garapov, E. F.; Gryaznov, Yu. N.

TITLE: Analysis of the gamma-gamma coincidence method used for standardizing cobalt-60 and sodium-22 radioactive sources 19

SOURCE: USSR. Gosudarstvennyy komitet po ispol'zovaniyu atomnoy energii. Doklady, no. 114, 1964. Analiz metoda gamma-gamma-sovpadeniy, primenyayemogo pri etalonirovanii radioaktivnykh istochnikov iz kobal'ta-60 i natriya-22, 3-12

TOPIC TAGS: radioactive source, cobalt, sodium, coincidence counting, gamma quantum

ABSTRACT: The coincidence method is well known at present as one of the techniques for absolute measurements of source activity (with an accuracy up to 1%). The article examines the special case of the gamma-gamma coincidence method, which records with independent counters two gamma quanta emitted simultaneously in a single event of decay of the radioactive nucleus, and events of their coincidence. The determination of the activity consists in measuring the channel counting rate n_1 and n_2 (see fig. 1 of the Enclosure), coincidence counting rate $n_{1,2}$, random coin-

Card 1/3

L 3927-66

ACCESSION NR: AT5022320

cidences $n_{1,2}$ rand, and background counting rate n_{1b} , n_{2b} , $n_{1,2b}$. The number of random coincidences is determined by introducing a time delay into one of the channels. In order to reduce the number of random coincidences to a minimum, a coincidence circuit with a short resolving time must be used. A high degree of accuracy in the determination of the number of disintegrations in the source requires the introduction of corrections for (1) the efficiency of the recording of gamma quanta of different energies in each channel, (2) the angular correlation and the finite geometrical dimensions of the detector and source, and (3) counting losses due to the dead time of the apparatus. These three types of errors are discussed at length, and an example involving the determination of the activity of Co^{60} and Na^{22} is given. The method of introduction of corrections discussed can also be used for measuring the activity of sources prepared from other radioactive isotopes. Orig. art. has: 2 figures, 26 formulas.

ASSOCIATION: none

SUBMITTED: 02Nov64

ENCL: 01

SUB CODE: NP

NO REF SOV: 004

OTHER: 005

Card 2/3

L 3927-66

ACCESSION NR: AT5022320

ENCLOSURE: 01




Fig. 1. Block diagram of electronic apparatus: 1--amplifiers; 2--integral or differential discriminators; 3--delay line; 4--double coincidence circuit; 5--scalers.

Leh
Card 3/3

L 19833-65 EWT(m) Pb-4 DIAAP/AFWL/ASD(a)-5/AMD/AFTC(b)/RAEM(c) DM 2/

ACCESSION NR: AP4049543

S/0089/64/017/005/0410/0412

AUTHORS: Garapov, E. F.; Gryaznov, Yu. N.; Dorofeyev, G. A.

TITLE: Errors in the calibration of Gamma dosimeters¹⁹ in a collimated beam

SOURCE: Atomnaya energiya, v. 17, no. 5, 1964, 410-412

TOPIC TAGS: radiation dosimetry, gamma detector, calibration spectrum

ABSTRACT: To study the errors due to the difference between test and laboratory conditions, the authors measured the variation in the radiation spectrum as a function of the aperture angle of the collimated beam, and of the distance between the detector and the source, with an aim at establishing a method for determining the contribution of the scattered radiation. The primary source was 2 x 2 cm of Co⁶⁰. The measurements were made with a standard calibration rule.

Card 1/2

L 19833-65

ACCESSION NR: AP4049543

The γ ray detector was an NaI(Tl) crystal measuring 40 x 40 mm with an FEU-13 photomultiplier, placed 100, 200, 300 and 400 cm from the source. For each distance, spectra were taken at collimating-channel diameters 8, 14, 30, 40, and 60 mm. The accuracy of the measurements is discussed. It is concluded on the basis of the results that the bulk of the stray radiation in a collimated beam is produced in the shielding material in the direct vicinity of the source. The use of a cavity with dimensions equal to or larger than the diameter of the collimating channel greatly reduces the stray radiation, so that channels with diameter larger than 30 mm can be used without a noticeable change in the γ ray intensity in the beam. Orig. art. has: 3 figures.

ASSOCIATION: None

SUBMITTED: 04Dec63

SUB CODE: NP, LS

NR REF SOV: 002

ENCL: 00

OTHER: 000

Card 2/2

L4883-66 EM(γ)/EIA(h)

ACCESSION NR: AP5008339

S/0115/65/000/001/0048/0050

AUTHOR: Barycheva, L. Ya.; Denisikov, A. I.; Dorofeyev, G. A.;
L'vova, M. A.; Bochkarev, V. V.; Garapov, E. F.; Gryaznov, Yu. N. 17
6

TITLE: Comparison of various methods of activity measurements by beta and gamma radiations

SOURCE: Izmeritel'naya tekhnika, no. 1, 1965, 48-50

TOPIC TAGS: radioactivity, radioactivity measurement, radioactive preparation

ABSTRACT: For evaluating the methods and accuracies of activity measurements, a number of Co⁶⁰ and Fe⁵⁹ preparations were tested in the laboratories of GK AE SSSR and Health Ministry SSSR. These methods were used: (1) Beta-gamma coincidence (stilbene detector and NaI(Tl) crystal); (2) Gamma-gamma coincidence; (3) Two 4π-beta proportional flow counter; (4) End-window counter; (5) Ionization chambers. The absolute measurements by methods 1, 2,

Card 1/2

45813-65

ACCESSION NR: AP5008339

and 3 were found to be correct to within $\pm 1\%$. Measurements with F^{59} were less accurate because of the low specific activity of solutions (gamma) and complicated decay mode (beta-gamma). Orig. art. has: 2 tables.

ASSOCIATION: none

SUBMITTED: 00

ENCL: 00

SUB CODE: NP

NO REF SOV: 005

OTHER: 003

Card 2/2

L 11820-65 EWO(j)/EWT(1)/EWP(s)/EWT(m)/EPF(c)/EMP(1)/EPR/EMP(j)/T/EMP(b)
 Pc-4/Pr-4/Ps-4 IJP(c) JD/WN/RM/WH

ACCESSION NR: AP5010910

UR/0286/65/000/007/0101/0101

AUTHOR: Garapov, E. F.; Lebedeva, M. F.; Shchekin, K. I.

47

TITLE: Material for ionization chambers for x-ray dosimetry.
 Class 39, No. 169776

12

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 7, 1965, 101

TOPIC TAGS: dosimetry, graphited polyethylene, polyethylene filler,
 ionization chamber

ABSTRACT: This Author Certificate deals with improved material
 for ionization chambers for x-ray dosimetry. The material consists
 of 45—50% polyethylene and 50—55% graphite. [VS]

ASSOCIATION: Gosudarstvennyy komitet po aviatsionnoy tekhnike SSSR
 (State Committee on Aviation Technology, SSSR)

SUBMITTED: 18Feb63

ENCL: 00

SUB CODE: MT, NP

NO REF SOV: 000

OTHER: 000

ATD PRESS: 3235

Card 1/1

L 27969-66 EWL(m)

ACC NR: AP6017679

SOURCE CODE: UR/0120/65/000/006/0072/0077

AUTHOR: Garapov, E. F.; Gryaznov, Yu. N.

ORG: none

45
B

TITLE: Analysis of the gamma-gamma correspondence method used for calibration of Co sup 60 and Na sup 22 sources

SOURCE: Pribery i tekhnika eksperimenta, no. 6, 1965, 72-77

TOPIC TAGS: cobalt, sodium, radioisotope, radioactivity measurement

ABSTRACT: Analysis is performed of the γ - γ correspondence method used for measurement of the activity of radioactive Co⁶⁰ and Na²² sources. Formulas are presented for checking the probability of recording gamma quanta of various energy levels, angular correlation, finite geometric dimensions, and calculations connected with the dead time of the apparatus used. The problem of determination of the minimal time necessary for obtaining the required accuracy is analysed. Orig. art. has: 3 figures and 26 formulas. [JPRS] 19

SUB CODE: 18 / SUBM DATE: 02Nov64 / ORIG REF: 004 / OTH REF: 005

Card 1/1 CC

UDC: 539.16.08

2

L 47103-05 EMT(m)

ACC NR: AR6016487

SOURCE CODE: UR/0272/65/000/012/0103/0103

AUTHOR: Baykalov, S. N.; Vasil'yev, R. D.; Garapov, E. F.

413

TITLE: Methods of standardization of radioactive sources and of grading of radiometric and dosimetric equipment

19

SOURCE: Ref. zh. Metrologiya i izmeritel' naya tekhnika, Abs. 12.32.889

REF SOURCE: Tr. Soyuzn. n. -i. in-ta priborostr., vyp. 1, 1964, 199-212

TOPIC TAGS: alpha radiation, beta radiation, gamma radiation, neutron radiation, radioactivity measurement, dosimeter

ABSTRACT: The paper discusses problems of the laboratory of metrology of ionization measurements, including the preparation of procedural instructions for the calibration of experimental and operational emitters, preparation of tasks concerning the development of experimental equipment and emitters, aid to enterprises and verification of model equipment, and the examination and confirmation

Card 1/2

UDC: 389.539.1.07/.08

AR6016487

SOURCE CODE: UR/0272/65/000/012/0103/0103

AUTHOR: Baykalov, S. N.; Vasil'yev, R. D.; Garapov, E. F.

41
B

TITLE: Methods of standardization of radioactive sources and of grading of radiometric and dosimetric equipment

19

SOURCE: Ref. zh. Metrologiya i izmeritel'naya tekhnika, Abs. 12.32.889

REF SOURCE: Tr. Soyuzn. n.-i. in-ta priborostr., vyp. 1, 1964, 199-212

TOPIC TAGS: alpha radiation, beta radiation, gamma radiation, neutron radiation, radioactivity measurement, dosimeter

ABSTRACT: The paper discusses problems of the laboratory of metrology of ionization measurements, including the preparation of procedural instructions for the calibration of experimental and operational emitters, preparation of tasks concerning the development of experimental equipment and emitters, aid to enterprises and verification of model equipment, and the examination and confirmation

Card 1/2

UDC: 389.539.1.07/.08

ACC NR: AR6016487

of verification diagrams. Aside from these general tasks, the laboratory is engaged in evolving procedures for the metrology of alpha, beta, and gamma, and of neutron radiation. A large portion of the work of the laboratory is devoted to the development of standard equipment to transmit the dimensions of the various units of measurements, ranging from sample measures of the first grade to working measures, and also the designing of equipment to facilitate the grading of instruments and the standardization of experimental and operational emitters. The work completed by the laboratory is described and the equipment involved is enumerated. M. Mekler. [Translation of abstract] [GC]

SUB CODE: 06/

hs

Card 2/2

ACC NR: AR6013633

SOURCE CODE: UR/0058/65/000/010/A057/A057

AUTHOR: Baykalov, S. N.; Vasil'yev, R. D.; Garapov, E. F.

TITLE: Methods for standardizing radioactive sources and calibrating radiometers and dosimeters

SOURCE: Ref. zh. Fizika, Abs. 10A468

REF SOURCE: Tr. Soyuzn. n.-i. in-ta priborostr., vyp. 1, 1964, 199-212

TOPIC TAGS: metrology, scientific standard, radioactive source, instrument calibration equipment, radiometer, dosimeter

TRANSLATION: Problems that the Metrology Laboratory for Ionizing Measurements faced from the time of its organization are discussed. These included the development of systematic procedures for calibrating reference and operational emitters, preparation of programs for the development of reference equipment and emitters, assistance to industry, certification and verification of reference equipment, review and improvement of checking procedures. In addition to these ordinary problems, the laboratory is concerned with the development of methodology for the field of the metrology of α -, β -, γ - and neutron radiation. Much work has gone into the development of unique apparatus for transposing the size of various units of measurement from standard measures up to operational measures and also into the development of equipment to facilitate the

Card 1/2

ACC NR: AR6013633

calibration of instruments and standardization of reference and working emitters. The work completed by the laboratory is described and the equipment used is enumerated. 4 references.

SUB CODE: 14, 18

Card 2/2

GARAS, Zsuzsa, dr.

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.

Determination of basal metabolism during sleep therapy and its
value in differential diagnosis. Orv hetil 95 no.16:424-429
Ap '54. (REAL 3:8)

1. A Peterfy Sandor-utcai Korhaz Rendelointezet (igazgato: Lendvai
Jozsef dr.) B. belosztalyanak (foorvos: Bach Imre dr. az orvostudo-
manyok. kadnidatusa) kozlemenye.

(BASAL METABOLISM, determ.

*in sleep ther., value in differ. diag.)

(SLEEP, ther. use

*basal metab. in, determ. & its value in differ. diag.)

GARAS Z.

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.

Experiences in intravenous application of ACTH. Orv. hetil. 95
no. 38:1033-1035 19 Sept 54.

1. A Fovarosí Peterfy Sándor-utcai Kórház-rendelő (igazgató:
Lendvai József dr) B) Belosztályának (főorvos Bach Imre dr., az
orvostudományok kandidátusa) közleménye.
(ACTH, admin.
intravenous)

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.

Paroxysmal tachycardia. Orv. hetil. 95 no.51:1389-1393 19 Dec 54.

1. A fovarosi Peterffy Sandor utcai korhaz-rendelo (igazgato:
Lendvai Jozsef dr.) Belosztalyanak (osztalyvezeto: Bach Imre dr.)
az orvostudomanyok kandidatusa) kozlemenye.
(TACHYCARDIA, PAROXYSMAL)

BACH, Imre, dr.; FELIX, Janos, dr.; GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.;
POPPER, Zsuzsa, dr.

Effect of neosteron on creatine excretion in muscular dystrophy.
Magy. Belorv. arch. 8 no.4:106-108 Aug 55.

1. A Fovarosí Peterfy Sándor utcai kórház-rendelő (Igazgató:
Lendvai, József dr.) B. belosztályának (főorvos: Bach, Imre dr.,
az orvostudományok kandidátusa) és laboratóriumának (főorvos:
Szmuk, Imre dr.) közleménye.

(ANDROGENS, effects,
on creatine excretion in musc. dystrophy.)
(URINE,
creatine, eff. of androgens in musc. dystrophy.)
(CREATINE, in urine,
eff. of androgens in musc. dystrophy.)
(PROGRESSIVE MUSCULAR DYSTROPHY,
eff. of androgens on urinary creatine in.)

KOMOR, Karoly, dr.,; OARAS, Zsuzsa, dr.,; BERKINYI, Laszlo.

Treatment with zinc and ACTH. Orv. hetil. 96 no.34:969-971
28 Aug 55.

1. A Fovaroszi Peterfy Sandor utcai Korhaz Rendelo (igazgato:
Lendvai Jozsef dr.) B-Belosztalyanak (foorvos: Bach Imre dr.,
az orvostudomanyok kandidatusa) kozlemenye.

(ZINC, therapeutic use
zinc chloride with ACTH)

(ACTH, ther. use
with zinc chloride)

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.; BERENYI, Laszlo

Experience with ACTH adsorbed on a precipitate of zinc phosphate.
Orv. hetil. 96 no.35:969-971 28 Aug 55.

1. A Fovarosí Páterfy Sándor utcai Korház Rendelő (igazgató:
Lendvai, József, dr.). B-Belosztályának (főorvos: Bach, Imre, dr.,
az orvostudományok kandidátusa) közleménye.

(ACTH

adsorp. on zinc phosphate precipitate, ther. use)

(ZINC

phosphate adsorp. of ACTH, ther. use)

GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.

Allergic-anaphylactic complications in ACTH therapy. Orv. hetil.
97 no.30:825-827 22 July 56.

1. A Fovarosí Peterfy Sándor utcai Korház. rendelő (igaz.:
Lendvai, József dr.) B. Belosztályának (először: Bach, Imre, dr.
az orvostud. kandidátusa) közl.

(ALLERGY, etiol. & pathogen.

ACTH. (Hun))

(ACTH, inj. eff.

allergies. (Hun))

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.

Use of chlorpromazine in differential diagnosis of high basal metabolism. Orv. hetil. 97 no.32:888 5 Aug 56.

1. A fovarosi Peterfy Sandor utcai Korhaz-rendelo (igazgato: Lendvai, Jozef, dr.) B. Belosztalyanak (foorvos: Bach, Imre, dr., az orvostudomanyok kandidatusa) kozlemenye.

(BASAL METABOLISM

high, chlorpromazine in differ. diag. of hyperthyroidal & neurotic types (Hun))

(CHLORPROMAZINE

in differ. diag. of hyperthyroidal & neurotic high basal metab. (Hun))

KOMOR, K., Dr.; GARAS, Z., Dr.

Differential diagnosis of thyropathies by investigation of basal metabolic rate during intravenous anaesthesia. Ther. hung. no.2: 23-24 1956.

1. Municipal Polyclinic, Peterfy S. utca (Director: Dr. J. Lendvay),
Medical Department B (Head-physician: Dr. I. Bach), Budapest.

(HYPERTHYROIDISM, differ. diag.

basal metab. rate determ. in intravenous anesth.)

(BASAL METABOLISM, determ.

in hyperthyroidism in intravenous anesth., differ.
diag. value)

KOMOR, Karoly; GARAS, Zsuzsa

Chlorpromazine in the differential diagnosis of diseases with high basal metabolism. Magy. belorv. arch. 11 no.2-3:52-56 Apr-June 58.

1. A Fovarosí Peterfy Sándor utcai kórház-rendelő (Ig. Galocsi György dr.) B-belosztályának (Főorv.: Bach László dr.) közleménye.

(BASAL METABOLISM, eff. of drugs on
chlorpromazine pretreatment, value of response to chlorpromazine in differ. diag. of dis. with high basal metab.
(Hun))

(CHLORPROMAZINE, eff.
on basal metab., value of response to chlorpromazine pretreatment in differ diag. of dis. with high basal metab.
(Hun))

KOMOR, K.; GARAS, Z.; BERENYI, L.

Steroid diabetes and insulin resistance; observations during oral anti-diabetic therapy. *Magy. belorv. arch.* 11 no.2-3:78-82 Apr-June 58.

1. A Fovarosí Peterffy Sándor utcai kórház-rendelő (ig. főorv.: Galocsi György dr.) B-bel osztályának (Főorv.: Bach Imre dr.) közleménye.

(DIABETES MELLITUS, etiol. & pathogen.

steroid diabetes, insulin resist. in & eff. of tolbutamide ther. (Hun))

(ANTIDIABETICS, ther. use

tolbutamide in steroid diabetes, eff. on insulin-resistant cases (Hun))

(ENDOCRINE DISEASES, etiol. & pathogen.

steroid diabetes (Hun))

KOMOR, Karoly, dr.; GARAS, Zsuzsa, dr.; SZEBENI, Agnes, dr.

Significance of the accessory adrenals in surgical therapy of
Cushing's disease. Magy. belorv. arch. 13 no.1:19-22 Mr '60.

I. A Fovarosí Peterfy Sándor utcai kórház-rendelő (igazgató főorvos:
Galórsi, György, dr.) Belosztálynak (főorvos: Bach, Imre, dr.) közleménye.
(CUSHING'S SYNDROME, surg.)
(ADRENAL GLAND abnorm.)

GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.

Therapy of obesity with fenoxazol. Orv. hetil. 101 no.20:703-705 15 Ny '60.

1. Fovarosai Peterfy Sandor utcai kornaz-rendelo, B-belosztalyanak.
(OBESITY ther.)

GARAS, Zsuzsa, dr.; KOMOR, Karoly, dr.

Spontaneous perirenal hemorrhage as the initial symptom of adrenal cortex carcinoma. Magy. belorv. arch. 16 no.1:53-56 Mr '63.

1. Peterffy Sandor utcai korhaz B-belosztaly es Endocrin rendeles.
(ADRENAL CORTEX NEOPLASM) (HEMATOMA) (RETROPERITONEAL SPACE)
(HYPERTENSION) (SURGERY, OPERATIVE) (CUSHING'S SYNDROME)
(HYPOKALEMIA) (ADRENAL CORTEX HORMONES) (URINE)

GARASHCHENKO, K., polkovnik

Socialist competition among officers. Voen.vest. 39 no.8:30-32
Ag '60. (MIRA 14:2)

(Russia--Army--Officers)
(Socialist competition)

GARASHCHUK, M.S.; SUPRUNENKO, D.A.

Linear nilgroups. Dokl.AN BSSR 4 no.10:407-408 '60. (MIRA 13:9)

1. Belorusskiy gosudarstvennyy universitet im. V.I.Lenina.
(Groups, Theory of)

GARASEFIRYAN, R.O.

Pathological kinking of the carotid artery and its significance in disorders of cerebral blood circulation. Zhur. neur. i psikh. 65 no.4:489-495 '65. (MIRA 18:5)

1. Institut nevrologii (direktor - prof. N.V. Konovalov) AMN SSSR, Moskva.

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

GARAJENKOV, B. I.

"The Results of Irrigating Spring Wheat in the Rostovskaya Oblast."
Cand Agr Sci, Moscow Order of Lenin Agricultural Acad imeni K. A. Timiryazev,
Moscow, 1954. (KL, No. 1, Jan. 55)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational
Institutions (13)
SO: Sum. No. 598, 29 Jul 55

GARAGEV, S. M.

Automobile batteries; booklet for the mechanic.
Moskva, Izd-vo Ministerstva kommunal'nogo khoziaistva RSFSR, 1952.
66 p. (53-32304)

TL272.G36

GARASEV, S.M.; PLEKHIANOV, I. redaktor; PÄPMEL', S., redaktor; KONYA-SHINA, A., tekhnicheskii redaktor.

[Booklet for the automobile electrician] Pamiatka avtoelektriku.
Moskva, Izd-vo Ministerstva kommunal'nogo khoziaistva RSFSR,
1953. 95 p. (Microfilm) (MLBA 8:9)
(Automobiles--Electric equipment)

GARASEV, Sergey Mikhaylovich; CHEKRYGIN, I.G., redaktor; MAL'KOVA, N.V.,
tekhnicheskii redaktor

[Use and maintenance of storage batteries; a manual for storage
battery technicians] Eksploatatsiia i remont akkumuliatornykh
batarei; posobie akkumuliatorshchiku. Moskva, Nauchno-tekhn. izd-
vo avtotransp. lit-ry, 1955. 70 p. (MIRA 9:2)
(Storage batteries)

GARASEV, Sergey Mikhaylovich; GRINBERG, P.I., red.; BODANOVA, A.P.,
tekhn. red.

[Maintenance and repair of storage batteries]Ekspluatatsiia
i remont akkumuliatornykh batarei; posobie akkumuliatorshchika.
Izd.2. perer. Moskva, Avtotransizdat, 1963. 70 p.
(MIRA 16:4)

(Storage batteries--Maintenance and repair)

GARASEVICH, G.I., inzhener; ZARNITSYN, V.I.

Jointing machine for automatic lines. Der.prom.5 no.11:22-23
N '56. (MIRA 10:1)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Woodworking machinery)
(Joinery)

GARASEVICH, G.I., inzhener.

Automatic production line for packing crate planks made out of
rough blanks. Der. prom. 6 no.4:18-19 Ap '57. (MLRA 10:6)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Woodworking industries) (Assembly line methods)

GARASEVICH, G.I., inzh.; PETRUSHA, A.K., kand.tekhn.nauk

Automatic lines of universal machines. Der.prom. 6 no.8:7 Ag '57.
(MIRA 10:11)

(Woodworking machinery)

GARASEVICH, G.I., inzh.

Machine for sorting parquet floor borders. Der. prom. 7 no.1:24-25
Ja '58. (MIRA 11:1)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Parquet floors)

GARASEVICH, G.I., inzh.

Automatic production line for making parquet boards. Der.prom. 7
no.9:18-19 S '58. (MIRA 11:11)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.
(Parquet floors) (Woodworking machinery)

GARASEVICH, G.I.; SEMENOVSKIY, A.A.

Automatic device for stacking dimensions into packages. Bum.1
der.prom. no.4:3-5 O-D '62. (MIRA 15:12)

1. Kiyevskiy domostroitel'nyy fanernyy kombinat.
(Woodworking industries) (Assembly-line methods)

GARASEVICH, G.I.; SEMENOVSKIY, A.A.

Mechanization of the production of veneer. Bum. i der. prom. no.2:9-12.
Ap-Je '63. (MIRA 17:2)

1. Kiyevskiy derevoobrabatyvayushchiy kombinat.

GARASEVICH, G.I.; SEMENOVSKIY, A.A.

Manufacture of chairs from new materials. Bum. i der. prom. no.1:
22-24 Ja-Mr '64. (MIRA 17:6)

MENZHERITSKIY, A.I.; OSIPOV, A.V.; YEFREMOV, M.D.; KRUKOVSKIY, Ye.V.;
SHLUGER, N.A.; REPSHIL', A.P.; MITSKEVICH, V.M.; MIKIRTUCHEVA,
Z.V.; POLONSKIY, V.V.; OBOTOVA, M.N.; SEMENOVSKIY, A.A.;
GARASEVICH, G.I.; VAYNBERG, Ye.I.; DOMNICH, A.M.; LEVCHENKO, V.L.;
RAFAL'SON, V.D.; ROMANENKO, Ye.I.; SHPINER, Ye.I.; TEKLIN, V.G.

Innovations. Bim. i der. prom. no.2:58 Ap-Je '65. (MIRA 18:6)

FINKEL'SHTEYN, B.; GARASH, B.

Our experience in organizing and operating a mobile radio shop.
Radio no.1:18-19 Ja '56. (MIRA 9:4)

1. Nachal'nik radiomasterskey Moldavskoy DRTS (for Finkel'shteyn)
2. Nachal'nik DRTS Moldavskoy SSR (for Garash)
(Radio--Repairing)

SOV/111-58-12-16/36

AUTHORS: Garash, B.S., Chief, Krasovskiy, N.G., Senior Engineer

TITLE: The Introduction and Operation of UPTS Equipment in the Intra-Rayon Telephone Network (Vnedreniye i ekspluatatsiya ustroystv UPTS na seti vnutrirayonnoy telefonnoy svyazi)

PERIODICAL: Vestnik svyazi, 1958. Nr 12, p 15 (USSR)

ABSTRACT: The authors review the experiences of the communication workers of the Moldavian SSR in introducing and operating UPTS equipment, which began in 1956. Many difficulties had to be overcome which were caused by differences in the various existing telephone networks and the manual and automatic telephone offices to which the semiautomatic telephone office equipment (UPTS) had to be connected. There is 1 circuit diagram.

ASSOCIATION: Direktsiya radiotranslyatsionnoy seti i vnutrirayonnoy telefonnoy svyazi Moldavskoy SSR (Central Office of Radio Relay and Rayon Telephone Network of the Moldavian SSR).

Card 1/1

GURTSOV, V. T., YAKOVLEV, N. N., GRIGOROVIC, A. T.

Engineer

*"Nitro-Cementation and Graveling", Stanki I Instrument, 14, N. 4-5, 1943.

BR-60050019

*Excerpts from their reports:

Garashchenko, A. P. PROPERTIES AND PROPERTIES INDEX

B

8

Influence of Low-Temperature Tempering Upon Mechanical Properties of One Percent Tungsten (Silver) Steel. A. P. Garashchenko, Henry Bruteher (Altadena, Calif.), Translation No. 2101, 8 pages. From *Stanki i Instrument (Apparatus and Instruments)*, v. 18, no. 9, 1947, p. 21-22.

Mechanical properties of a tool steel containing 1.05 1.25% C, 0.8-1.2% W, and 0.15 0.30% V were studied as a function of time of holding at temperatures of 300 625° F. Gives general conclusions concerning low-temperature tempering of plain carbon and alloy-steel tools.

ASB-5LA METALLURGICAL LITERATURE CLASSIFICATION

FROM STANKI I

REPORT NO. ONE ONE

CLASSIFICATION

REPORT NO. ONE ONE

182-68. Gas Cyaniding of High-Speed Steels. (In Russian.) A. P. Garashchenko. *Stanki i Instrumenty* (Machine Tools and Instruments), v. 19, Nov. 1948, p. 17-19.

Different methods and the method used in the USSR since 1940. Optimum conditions for different types of toolsteel.

RUSTEM, S.L.; GARASHCHENKO, A.P.

[Heat-treatment shop equipment] Oborudovanie termicheskikh tsekhov. Moskva,
Gos.nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1953. 254 p. (MLRA 6:10)
(Metals--Heat treatment)

CH.BURKOV, A.K., inzh., retsenzent; GLIKIN, N.M., inzh., red.;

RUSTEM, Semen Leopel'dovich; GARASHCHENKO, Aleksandr Petrovich;
CHEBURKOV, A.K., inzh., retsenzent; GLIKIN, N.M., inzh., red.;
SHEMSHURINA, Ye.A., red.izdatel'stva; EL'KIND, V.D., tekhn.red.

[Equipment, automatization and mechanization in plants for heat
treatment of metals] Oborudovanie, avtomatizatsiia i mekhanizatsiia
v termicheskikh tsekhakh. Izd.2-oe, perer.i dop. Moskva, Gos.
nauchno-tekhn.izd-vo mashinostroit.lit-ry, 1957. 391 p. (MIRA 11:1)
(Metals--Heat treatment)

GARASHCHENKO, A.P.

129-1-5/14

AUTHORS: Garashchenko, A.P., Candidate of Technical Sciences,
Gulyaev, A.P., Doctor of Technical Sciences, Professor,
and Luneva, Z.S., Engineer.

TITLE: Molten Metals and Alloys as a Medium for Heating Steel
Components during Heat Treatment (Rasplavlennyye metally
i splavy kak sreda dlya nagreva stal'nykh izdeliy pri
termicheskoy obrabotke)

PERIODICAL: Metallovedeniye i Obrabotka Metallov, 1958, No.1,
pp. 21 - 26 (USSR).

ABSTRACT: Local heating is usually effected in lead baths. In view
of the danger to the operating personnel and also the scarcity
of lead, attempts are being made to substitute this material
by others. As a result of the experiments, it was established
that aluminium alloys containing 8 to 12% Si can be used for
heating steel components to be tempered and that aluminium
alloys containing 6 - 10% Si and 5 - 7% Fe can be used for
heating steel components to be hardened. As regards speed of
heating, the here mentioned alloys are equivalent to molten
lead. Measures were developed for protecting the crucibles,
the thermocouple casing and the components against erosion
and also against increased loss of the alloy when removing
the components. For heating components to 700 - 850 °C, the

Card 1/2